

# Open XAL Database Abstraction

## Introduction

---

Database abstraction refers to the abstraction of both the vendor and the schema such that a high level API has all necessary access to the data source without requiring vendor specific or schema specific details.

## Vendor Abstraction

---

Vendor abstraction refers to a high level API that is independent of the database vendor. Vendor abstraction is already supported in the current XAL project, and this current architecture is the proposed support in Open XAL.

JDBC provides most of the database vendor abstraction, but some functions are still vendor specific including making a new connection, creating BLOB data, creating arrays and fetching nontrivial schemas. XAL introduces a DatabaseAdaptor class which provides abstract methods for all of these functions. Concrete subclasses (one for each supported vendor) provide the implementation details.

A database configuration file provides a list of adaptors, servers and accounts with defaults for each. Each server entry specifies an identifier, URL and its associated database adaptor which in turn specifies an identifier and the concrete database adaptor subclass to load. Each account entry specifies an identifier and the user name and password. A connection dictionary is composed of an account and server pair and is used to establish the database connection. Figure 1 shows an example of a database configuration file.

```
<?xml version = '1.0' encoding = 'UTF-8'?>
<dbconfig date="Thu Jun 11 10:46:03 DST 2010" version="1.0.0">
  <adaptors default="oracle">
    <adaptor name="oracle" class="gov.sns.tools.database.OracleDatabaseAdaptor" />
    <adaptor name="mysql" class="gov.sns.tools.database.MysqlDatabaseAdaptor" />
  </adaptors>
  <servers default="production">
    <server name="production" adaptor="oracle" url="jdbc:oracle:thin:@xal.org:1521:prod" />
    <server name="development" adaptor="oracle" url="jdbc:oracle:thin:@xal.org:1521:dev" />
    <server name="internal" adaptor="mysql" url="jdbc:mysql:thin:@xal.org:1521:dev" />
  </servers>
  <accounts default="reports">
    <account name="reports" user="reporter" password="xyz123" />
    <account name="score" user="backup" password="abc456" />
    <account name="personal" user="tom" />
  </accounts>
</dbconfig>
```

**Figure 1:** Example of a database configuration file.

This database vendor abstraction described above is already implemented in the current version of XAL in use at SNS. However, we should add to the database adaptor error code translation so XAL can define common SQL error code symbols and have them numerically assigned the vendor specific values.

## Schema Abstraction

---

Schema abstraction refers to a high level API that is independent of the details of the data table organization within the database. Schema abstraction will be a new feature introduced in Open XAL.

For each module that requires database access, the database request interface will be encapsulated into one or more abstract classes and/or interfaces. Implementations of these data sources will be provided by individual site projects, but the core will provide placeholder implementations so the core can be built successfully and tested without reference to a specific database. Since site specific customization is stored in a site specific branch of the repository, the site specific data source implementation will naturally be implemented there.

## Document Revision History

---

This table describes the changes to this Open XAL database abstraction document.

| Date               | Notes  |
|--------------------|--|
| June 25, 2010      | Draft proposal that describes the plan for supporting database abstraction in Open XAL.                                    |
| October 7, 2010    | Clarify the organization of the packages and the jar file names.   |
| September 13, 2011 | Introduce schema abstraction using site specific git branches instead of site specific substitutions in the master branch. |